CHAPTER 5 - SUPPORTING INFORMATION

5.1 LIST OF PREPARERS

Steven F. Amick

Position: Civil Engineer, TVA River Operations

Education: B.S., Civil Engineering

Background: 25 years experience in hydraulic modeling and water

resources; Registered Professional Engineer

Contribution: Floodplains material, sediment transport modeling

Larry G. Bray

Position: Navigation Economist, TVA River Operations

Education: Ph.D., Economics

Background: 26 years if experience in regional development and water

resources

Contribution: Economic analysis material

J. Leo Collins

Position: Senior Botanist, TVA Resource Stewardship

Education: Ph.D., Biology

Background: 25 years experience in terrestrial vegetation and rare plant

impact assessment

Contribution: Terrestrial life and endangered species material

James H. Eblen

Position: Economics Contractor, TVA River Operations

Education: Ph.D., Economics

Background: 34 years experience in economic analysis

Contribution: Socioeconomics and Environmental Justice sections

Nancy D. Fraley

Position: Natural Areas Coordinator, TVA Resource Stewardship

Education: M.S. Botany

Background: 12 years experience in terrestrial vegetation assessment,

rare plant inventory, and environmental education

Contribution: Natural Areas material

Steven J. Fraley

Position: Aquatic Biologist, TVA Resource Stewardship

Education: M.S., Zoology

Background: 9 years experience in aquatic invertebrate and

vertebrate biology and bioassessment techniques.

Contribution: Aquatic life material

James R. Hagerman

Position: Technical Specialist, TVA Resource Stewardship

Education: M. S., Agricultural Engineering

Background: 12 years experience in water quality and water resources;

Registered Professional Engineer

Contribution: Water Quality and sedimentation material

David A. Hankins

Position: Geographic Analyst, TVA Energy Research and Technology

Applications

Education: B.S., Fish and Wildlife Management Background: 20 years Geographic Information Services

Contribution: Data analysis and map preparation

T. Hill Henry

Position: Senior Zoologist, TVA Resource Stewardship

Education: M.S., Zoology

Background: 10 years experience in monitoring terrestrial endangered

species

Contribution: Terrestrial life and endangered species material

George M. Humphrey

Position: Land Use Specialist/Recreation, TVA Resource Stewardship

Education: M.S., Recreation Resources Planning

Background: 25 years in river and reservoir recreation planning

Contribution: Recreation material

John J. Jenkinson

Position: Senior Malacologist, TVA Resource Stewardship

Education: Ph.D., Zoology

Background: 22 years experience in aquatic life and aquatic

endangered species impact assessment

Contribution: Project management, document organization, editing, and

aquatic endangered species material

Hank E. Julian

Position: Hydrogeologist, TVA Energy Research and Technology

Applications

Education: M.S., Civil Engineering

Background: 14 years experience in groundwater hydrology; Registered

Professional Engineer and Professional Geologist

Contribution: Groundwater material

Jimmie J. Kelsoe

Position: Senior Environmental Scientist, TVA Energy Research &

Technology Applications

Education: B.S., Industrial Chemistry, Mathematics

Background: 26 years experience in soil fertility, land reclamation, and

waste utilization; 6 years experience in NEPA evaluations

of farmland

Contribution: Land use and prime farmland material

Roger A. Milstead

Position: Manager, TVA River Operations

Education: B.S., Civil Engineering

Background: 25 years experience in floodplain and environmental

impact evaluation; Registered Professional Engineer

Contribution: Background and alternatives descriptions, editing,

floodplains material

Jason M. Mitchell

Position: Terrestrial Biology Contractor, TVA Resource Stewardship

Education: B.S., Wildlife and Fisheries Science

Background: 7 years experience in natural resource management with

emphasis on endangered species and zoological assessment

Contribution: Terrestrial wildlife material

Ella C. Newton

Position: Natural Areas Contractor, TVA Resource Stewardship

Education: M.S., Geography

Background: 8 years experience in land use analysis, interpretation,

and management

Contribution: Managed Area material

Danny E. Olinger

Position: Archaeologist, TVA Resource Stewardship

Education: M.A., Anthropology

Background: 28 years experience in archaeological field research

and cultural resource management

Contribution: Archaeological material

Linda B. Oxendine

Position: Senior NEPA Specialist, TVA Environmental Policy

and Planning

Education: Ph.D., Botany

Background: 24 years experience in environmental education and

environmental review requirements.

Contribution: NEPA perspective, interagency coordination, and editing

W. Chett Peebles

Position: Visual Resources Contractor, TVA Resource Stewardship

Education: B. S., Landscape Architecture

Background: 13 years experience in land planning,

site analysis, and design; Registered Landscape Architect

Contribution: Visual and aesthetic resource material

Kim Pilarski

Position: Wetland Biologist, TVA Resource Stewardship

Education: M.S., Geography

Background: 10 years experience in wetland regulation and assessment,

water quality, and watershed assessment

Contribution: Wetlands material

Joseph E. Rose

Position: Hydro Specialist, TVA River Operations

Education: B.S., Chemical Engineering

Background: 30 years experience in design, construction, and

modifications of hydro, fossil, and nuclear power facilities;

Registered Professional Engineer

Contribution: Engineering aspects of dam modification alternatives

Barbara A. Rosensteel

Position: Wetlands Contractor, TVA Resource Stewardship

Education: M.S., Environmental Science

Background: 12 years experience in wetland delineation and water quality

assessment, regulation, and mitigation.

Contribution: Wetlands material

Edwin M. Scott, Jr.

Position: Aquatic Biologist, TVA Resource Stewardship

Education: M.S., Biology

Background: 25 years experience in aquatic field collections and

biomonitoring techniques

Contribution: Aquatic life material

Charles R. Tichy

Position: Historic Architect, TVA Resource Stewardship

Education: M.A., Historic Preservation

Background: 33 years experience in historic restoration and

preservation

Contribution: Historic structures material

Carolyn L. Wells

Position: Botany Contractor, TVA Resource Stewardship

Education: B.A., Biology

Background: 8 years experience in botanical field research

Contribution: Terrestrial plant material

T. Margueritte Wilson

Position: Environmental Restoration Specialist, TVA Energy Research

and Technology Applications

Education: M.S. Civil Engineering

Background: 13 years environmental engineering and hydrogeology;

Registered Professional Geologist

Contribution: Geology and reservoir sediment material

5.2 GLOSSARY OF TERMS

- acre-foot a measure of volume used in land modification activities; the amount of material that would cover an acre (43,560 square feet) to a depth of one foot (43,560 cubic feet); equals 1,613.4 cubic yards.
- action alternative one of the alternatives being evaluated that would involve doing something to meet the purpose(s) of the project. Opposite: No Action Alternative
- **algae** small (generally microscopic) plants which live either floating in the water or attached to submerged objects.
- aquatic typically found in water.
- **bedload** larger particles in a stream that are rolled, tumbled, bounced, or slid along the bottom by the force of the water. Sand, cobbles, and boulders are typical bedload particles.
- best management practices construction or maintenance practices which have been shown to be the most effective and practical ways of preventing impacts to environmental resources.
- **cubic yard** a measure of volume used in many construction activities; the amount of material that would fill a space one yard (3 feet) on each side (27 cubic feet); equals 0.00062 acre-feet.
- **easement** an interest in land owned by one party that allows another party to have specific, limited use of the land.
- **EIS** environmental impact statement. This is the most detailed type of environmental assessment document identified in the National Environmental Policy Act (NEPA).
- **endangered species** an animal or plant which is in danger of extinction throughout all or a significant part of its range.
- **Endangered Species Act** a federal law, first passed in 1973, establishing federal lists of endangered and threatened wildlife and plants, which requires federal agencies to insure that any action they authorize, fund, or carry out is not likely to jeopardize the continued existence of listed species.
- **environment** in a natural context, all of the living and non-living things in the area where an individual or a species occurs.

- **EPA** the U.S. Environmental Protection Agency.
- **Executive Order 11988** an order to federal agencies signed by the president requiring them to avoid or mitigate any actions which could result in impacts to the floodplains of streams.
- **Executive Order 11990** an order to federal agencies signed by the president requiring them to avoid or mitigate any actions which could harm wetlands.
- **Executive Order 12372** an order to federal agencies signed by the president that requires intergovernmental review of federal programs, and provides for federal agencies to consult with state and local elected officials regarding federal development activities and programs that may affect community and area development planning and to accommodate their comments to the greatest extent possible.
- **Executive Order 12898** - an order to federal agencies signed by the president that requires federal actions to address environmental justice in minority populations and low-income populations, signed by President Clinton on February 11, 1994.
- **fee title** owning all rights to a parcel of land.
- **floodplain** the part of a stream valley which is covered with water during a flood event. Typically associated with a flood which could occur at a given frequency (for example, the edges of a 100-year floodplain would be covered with water only during floods expected to occur, on average, less frequently than once in any 100 years).
- **floodway** the channel of a stream plus any adjacent floodplain areas that must be kept free of encroachment so that a specific recurrence interval flood (typically a 100-year flood) can be passed without substantial increases in flood heights. Minimum federal standards limit increases to 1.0 foot, provided that hazardous water velocities are not produced.
- **genus** (plural: genera) the next larger grouping of animal or plant species which are assumed to be closely related to each other.
- **Geographic Information System (GIS)** a computer analysis computer program that can display and evaluate almost any information which can be associated with specific places on the earth.
- **ground water** water which is located under the surface of the earth. Adjective form: "groundwater."

- **invertebrates** animals which do not have backbones. Used to refer to all animals except fish, amphibians, reptiles, birds, and mammals (the vertebrates).
- **karst** a region in which the bedrock contains sinks, underground streams, and caverns.
- managed area specific, defined, land in public, institutional, or private ownership that has been established and is operated to protect significant features or resources.
- **NEPA** (National Environmental Policy Act) a 1970 federal law which requires agencies to determine the environmental impacts of proposed actions, to consider alternatives to those actions, and to include a consideration of the environmental impacts when deciding which actions to conduct.
- NHPA (National Historic Preservation Act) a federal law which requires agencies to avoid or mitigate impacts to significant archaeological or historic resources.
- periphyton aquatic life which lives attached to material submerged in the water.
- **plankton** small (generally microscopic) animals and plants which live floating in the water.
- **prime farmland soils** types of soils that have physical and chemical properties which economically can sustain high crop yields.
- **scoping** an early part of the NEPA process when agencies and members of the public are encouraged to help focus the planned evaluation on important subject areas.
- **sediment** material that is moved and deposited by wind and/or water.
- **surface water** water visible on the surface of the ground or in a stream. Opposite: ground water.
- **suspended load** fine particles that move along in the mass of flowing water. Cloudy or muddy water typically includes suspended sediment.
- taxon (plural: taxa) a general term used to refer to an unknown or unspecified level of animal or plant classification. Typically used as a plural when a total includes a mixture of species, genera, and higher taxonomic categories ("28 insect taxa were found").
- **TDEC** the Tennessee Department of Environment and Conservation.

terrestrial - typically found on land.

threatened species - an animal or plant which is likely to become an endangered species within the foreseeable future throughout all or a significant portion of its range.

tract - a separate, identified parcel of land, usually with some sort of assigned identification number.

turbid - clouded because of the fine sediment it contains.

turbidity - the fine sediment suspended in a volume of water.

TVA - the Tennessee Valley Authority.

TWRA - the Tennessee Wildlife Resources Agency.

USACE - the U.S. Army Corps of Engineers.

USFWS - the U.S. Fish and Wildlife Service.

water quality - the physical, chemical, and biological characteristics of water compared to recognized standards of quality necessary to maintain certain uses.

wetlands - land areas adjacent to, or away from flowing streams which support plants and animals that have high water requirements.

5.3 REFERENCES

- Ahlstedt, S. A. 1984a. Recovery Plan for the Green-blossom Pearly Mussel Epioblasma (=Dysnomia) torulosa gubernaculum (Reeve, 1865). U.S. Fish and Wildlife Service, Atlanta, Georgia, 50 pages.
- Ahlstedt, S. A. 1984b. Recovery Plan for the Cumberland Bean Pearly Mussel *Villosa trabalis* (Conrad, 1834). U.S. Fish and Wildlife Service, Atlanta, Georgia, 58 pages.
- Ahlstedt, S. A. 1984c. Recovery plan for the birdwing pearly mussel, *Conradilla caelata* (Conrad, 1834). U.S. Fish and Wildlife Service, Atlanta, Georgia, 55 pages.
- Ahlstedt, S. A. 1985. Recovery Plan for the Pink Mucket Pearly Mussel *Lampsilis orbiculata* (Hildreth, 1828). U.S. Fish and Wildlife Service, Atlanta, Georgia, 47 pages.
- Ahlstedt, S. A. 1986. Cumberlandian mollusk conservation program activity 1: Mussel distribution surveys. Tennessee Valley Authority, Norris, Tennessee, 125 pages.
- American Society for Testing and Materials (ASTM). 1993. D 2488-93, Standard Practice for Description and Identification of Soils (Visual-Manual Procedure), Annual Book of ASTM Standards, Vol. 04.08.
- Aquatic Resources Center. 1996. Lemiox rimosus Transplant Site Surveys, 1996. Aquatic Resources Center, Franklin, Tennessee, 17 pages.
- Baldwin, W. H. 1914. Map of Flowage Lands for 70 Ft. Dam. Tenn. Eastern Elec. Co. Nolichucky River. Greene Co. Tenn. In B. Carroll Reese Library, east Tennessee State University, Johnson City, Tennessee.
- Barr, W. C., S. A. Ahlstedt, G. D. Hickman, and D. M. Hill. 1986. Cumberlandian Mollusk Conservation Program, Activity 8, Analysis of macrofauna factors. Tennessee Valley Authority, Office of Natural Resources and Economic Development, Knoxville, Tennessee. 96p.
- Biggins, R. B., and R. B. Eager. 1983. Snail Darter Recovery Plan. U.S. Fish and Wildlife Service, Atlanta, Georgia, 46 pages.
- Boschung, H. T., and R. L. Mayden. In preparation. Freshwater Fishes of Alabama. University of Alabama Press, Tuscaloosa, AL.

- Brahana, J. V., D. Mulderink, J. A. Macy, and M. W. Bradley, Preliminary delineation and description of the regional aquifers of Tennessee—the East Tennessee aquifer system, U. S. Geological Survey, Water-Resources Investigations Report 82-4091, 30 p.
- Brady, J., T. Kunz, M. D. Tuttle, and D. Wilson. 1982. The gray bat recovery plan. United States Fish and Wildlife Service, Denver, CO. 122 pp.
- Bureau of Economic Analysis. 1997. Bearfacts for 1987-1997; Greene County, Tennessee. (http://www.bea.doc.gov/bea/regional/bearfacts)
- Burr, B.M and D.J. Eisenhour. 1994. Status survey of the Chucky madtom (Ictaluridae: *Noturus* sp.) in east Tennessee. Unpublished final report to Tennessee Wildlife Resources Agency, Non-game and Endangered Species, Ellington Agricultural center, Nashville, TN, 37204.
- Buffington, J. M. and D. R. Montgomery. 1999. Effects of sediment supply on surface textures of gravel-bed rivers. Water Resources Research. 35(11): 3523-3530.
- Butler, R. S., and R. G. Biggins. 1998. Technical Draft Recovery Plan for Cumberland Elktoe (*Alasmidonta atropurporea*), Oyster Mussel (*Epioblasma capsaeformis*), Cumberlandian Combshell (*Epioblasma brevidens*), Purple Bean (*Villosa perpurpurea*), and Rough Rabbitsfoot (*Quadrula cylindrica strigillata*). U.S. Fish and Wildlife Service, Asheville, North Carolina, 119 pages.
- Carter, B.D., C.E. Williams, and R.D. Bivens. 1999. Warmwater Stream Fisheries Report, Region IV, 1998. Report 99-5, Tennessee Wildlife Resources Agency, April, 1999. 101p.
- Chaote, J. R., J. K. Jones, Jr., and C. Jones. 1994. Handbook of Mammals of the South-Central States. Baton Rouge, Louisiana State University Press. 304 pp.
- Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of Wetland and Deepwater Habitats of the United States. Publication FWS/OBS-79/31, U.S. Fish and Wildlife Service, Washington, D. C.
- DeBucananne, G.D. and R.M. Richardson. 1956. Ground-Water Resources of East Tennessee. State of Tennessee, Department of Conservation, Division of Geology. Nashville, Tennessee. Bulletin 58 Part 1.
- DeSelm, H.R. 1984. Potential National Natural Landmarks of the Appalachian Ranges Natural Region Ecological Report. U.S. Department of the Interior National Park Service. pp. 277-279.

- Duda, A. M., and D. L. Penrose. 1980. Impact of mining activities on water quality in western North Carolina. Water Resources Bulletin. 16(6): 1034-1040.
- Environmental Protection Agency, State of Tennessee unified Watershed Assessment and Restoration plan http://www.epa.gov/owow/uwa/tn.pdf
- Environmental Protection Agency, 1989. Document #530/SW-89-031, Chapter 8, published in May 1989
- Environmental Protection Agency, 1994. "Nolichucky, BASINS Core Data". (http://www.epa.gov/OST/BASINS/HUCS/06010108/)
- Environmental Protection Agency. 2000. Http://oaspub.epa.gov/surf/surfface
- Etnier, D. A. and W. C. Starnes. 1993. The fishes of Tennessee. University of Tennessee Press, Knoxville. 681 p.
- Federal Emergency Management Agency, 1979. <u>Federal Guidelines for Dam Safety</u>, FEMA 93, June 1979
- Federal Emergency Management Agency. 1991a. <u>Flood Insurance Study (FIS)</u>, Hamblen County, Unincorporated Areas, Tennessee, ...
- Federal Emergency Management Agency. 1991b. <u>Flood Insurance Study (FIS)</u>, Greene County, Unincorporated Areas, Tennessee, . . .
- Federal Emergency Management Agency. 1998. <u>Flood Insurance Study (FIS)</u>, Cocke County, Unincorporated Areas, Tennessee.
- Federal Farmland Protection Policy Act. 1981. U.S. Code of Federal Regulations Title 7, Part 567. Amended in 1984 and 1994 (7 CFR Part 658).
- Fenneman, N. E. 1938. Physiography of Eastern United States. McGraw-Hill Book Company, Inc., New York, New York, 714 pages.
- Greenwalt, L. A. 1976. To the list of endangered and threatened species, Fish and Wildlife Service added the gray bat, Mexican wolf, and two butterfly species. *Federal Register*, 41:17736-17740.
- Hamel, P. 1993. Tennessee Wildlife Viewing Guide. Falcon Press Publishing Co., Inc., Helena and Billings, Montana, 96 pages.

- Hardeman, William D. 1966. Geologic Map of Tennessee. State of Tennessee,
 Department of Conservation, Division of Geology. In cooperation with The
 United States Geological Survey, the Geology Department of The University
 of Tennessee, and the Geology Department of Vanderbilt University.
- Jenkinson, J. J. 1983. Status report on the Tennessee Valley Authority
 Cumberlandian mollusk conservation program. Pages 79-83 *in* Miller, A. C.,
 compiler. Report of Freshwater Mussels Workshop, 26-27 October 1982.
 U.S. Army Engineer Waterways Experiment Station, Vicksburg, Mississippi.
- Karr, J. R. 1981. Assessment of biotic integrity using fish communities. Fisheries 6(6):21-27.
- Kearns, B. L., and J. R. Karr. 1994. A benthic index of biotic integrity (B-IBI) for rivers of the Tennessee Valley. Ecological Applications, 4(4):768-785.
- Kennedy, M. L., and M. J. Harvey. 1979. Tennessee mammals: capsule descriptions of twenty-four selected species. Ecological Research Center, Memphis State University. 93 pp.
- La Val, R. K., R. L. Clawson, M. L. La Val, and W. Caire. 1977. Foraging behavior and nocturnal activity patterns of Missouri bats, with emphasis on the endangered species *Myotis grisescens* and *Myotis sodalis*. Journal of Mammalogy, 58:592-599.
- Leopold, L. B. 1994. *A View of the River.* Harvard University Press. Cambridge, MA.
- Lewis, T. M. N. and M. Kneberg 1957. The Camp Creek site. *Tennessee Archaeologist*, 13 (1):1-48.
- Luther, Edward T. 1977. Our Restless Earth, The Geologic Regions of Tennessee.

 The University of Tennessee Press. Knoxville, Tennessee.
- Maclay, R. W., 1962. Geology and ground-water resources of the Elizabethton-Johnson City area Tennessee, U. S. Geological Survey, Geological Survey Water-Supply Paper 1460-J, Washington.
- Mayden, R. L., and B. R. Kuhajda. 2000. Status and distribution of the chucky madtom, *Noturus* sp. cf. *N. elegans* (Ictaluridae) in Alabama and Tennessee. Unpublished proposal for research, submitted to the U.S. Fish & Wildlife Service March 22, 2000, 5 pp.

- Mullican, H. N., R. M. Sinclair, and B. G. Isom. 1960. Part I: Survey of the aquatic biota of the Nolichucky River in the State of Tennessee. Reprinted 1973. Tennessee Stream Pollution Control Board, Tennessee Department of Public Health, Nashville, Tennessee. 28p. plus appendices.
- Muncy, J. A. 1985. Reclamation of abandoned mica, feldspar and kaolin surface mines and associated tailings disposal sites in western North Carolina. Presented to the American Society for Surface Mining and Reclamation, Denver, Co.
- Neves, R. J. 1984. Recovery Plan, Fine-rayed Pigtoe Pearly Mussel, *Fusconaia cuneolus*. U.S. Fish and Wildlife Service, Atlanta, Georgia, 67 pages.
- Neves, R. J., A. E. Bogan, J. D. Williams, S. A. Ahlstedt, and P. W. Hartfield. 1997. Status of aquatic mollusks in the southeastern United States: a downward spiral of diversity. Chapter 3, pages 43-85 *IN* Benz, G. W., and D. E. Collins (editors). *Aquatic Fauna in Peril: the Southeastern Perspective*. Special Publication 1, Southeast Aquatic Research Institute, Lenz Design & Communications, Decatur, Georgia.
- North Carolina DENR, 2000. http://h2o.enr.state.nc.us/mtu/files/303d/NC2kLIST.pdf
- Oregon State University Information Services, Government Information Sharing Project. 1998. 1997Census of Greene County, Tennessee. (http://govinfo.library.orst.edu/).
- Oregon State University Information Services, Government Information Sharing Project. 1999. 1997 Census of Agriculture, Greene County, Tennessee. (http://govinfo.library.orst.edu/).
- Ortmann, A. E. 1918. The nayades (freshwater mussels) of the upper Tennessee Drainage; with notes on synonymy and distribution. Proceedings of the American Philosophical Society, 57:521-626.
- Redmond, W. H., and A. F. Scott. 1996. Atlas of Amphibians in Tennessee. Miscellaneous Publication Number 12, The Center for Field Biology, Austin Peay State University, Clarksville, TN, 94 pages.
- Ricketts, T. H., E. Dinerstein, D. M. Olson, C. J. Loucks, W. Eichmaum, D. DellaSala, K. Kavanaugh, P. Hedao, P. T. Hurley, K. M. Carney, R. Abel, and S. Walters. 1999. Terrestrial Ecoregions of North America: A conservation Assessment. Island Press, Washington, D. C., 485 pages.

- Scott, G.R. and S.L. Jones. 1945. Studies of the Pollution of the Tennessee River System. II Detailed Discussion of Types and Sources of Pollution and Their Effects on the River System with Results of Studies of the Major Tributaries 1937-1939. TVA, Knoxville, TN.
- Semmer, B. 1998. Greene County. Pages 385-386 *In* The Tennessee Encyclopedia of History and Culture, edited by Carroll Van West. The Tennessee Historical Society, Rutledge Hill Press, Nashville, Tennessee.
- Tennessee Department of Conservation. 1973. Analyses of Geologic Materials, Boone Lake Area, Tennessee. Report of Investigations #35, Department of Conservation, Division of Geology, Nashville, Tennessee.
- Tennessee Department of Environment and Conservation. 1998. Tennessee Rivers Assessment Project Summary Report 1998. (http://www.state.tn.us/environment/riv/nolichuk.htm)
- Tennessee Department of Public Health. 1977. Biological assessment and inventory, chemical grab sampling, Nolichucky River, Flat Creek, Nylon Branch, Lowland, Hamblen County, Tennessee. Intensive survey, Knoxville Basin Office, Tennessee Department of Public Health. 9p.
- Tennessee Parks and Greenways Foundation. 1999a. Board Resolution to Accept Conservation Easement, Joe Neill Easement, Nolichucky River Conservation Area. Resolution No. 4-99.
- Tennessee Parks and Greenways Foundation. 1999b. Deed of Conservation Easement. 11 pp.
- Tennessee Valley Authority. Undated. Summary Report: Suspended sediment investigation: 1935-37 and 1963-65. TVA Division of Water Control Planning, Hydraulic Data Branch; 6 pages
- Tennessee Valley Authority. 1938. Report on Silting of Lake Davy Crockett on Nolichucky River
- Tennessee Valley Authority. 1968. Sedimentation in TVA Reservoirs. Report No. 0-6693TVA Division of Water Control Planning, 39 pages.
- Tennessee Valley Authority. 1970. Drainage areas for streams in Tennessee River basin. Report No. 0-5829-R-2, Hydraulic Data Branch, Division of Water Control Planning, Knoxville, Tennessee, 116 pages.

- Tennessee Valley Authority. 1971. Water Quality Management Plan: French Broad River Watershed Nolichucky Subbasin 1st draft. [State of Tennessee unified Watershed Assessment and Restoration plan http://www.epa.gov/owow/uwa/tn.pdf]
- Tennessee Valley Authority. 1972. Environmental Statement: Rehabilitation of the Nolichucky Project. TVA-OHES-EIS-72-2.
- Tennessee Valley Authority 1980. TVA Water Control Projects and Other Major Hydro Developments in the Tennessee and Cumberland Valleys; Engineering Data. Technical Monograph No. 55, Volume 2, Tennessee Valley Authority, Knoxville, Tennessee.
- Tennessee Valley Authority. 1993. Tennessee Valley Reservoir and Stream Quality 1993 Summary of Vital Signs and Use Suitability Monitoring Volume 1; TVA, Water Management, Clean Water Initiative, Chattanooga, TN, 200 pages.
- Tennessee Valley Authority. 2000. Management report on Columbia Project historic properties transfer. Tennessee Valley Authority, Norris, Tennessee. 37 pages.
- Tennessee Valley Authority and U.S. Army Corps of Engineers. 1999.
 Environmental Assessment, Nolichuckey Sand Company, Inc. Request for Tennessee Valley Authority Land Use and Section 26a Approval and Department of the Army Permit Approval under Section 10 of the Rivers and Harbors Act of 1899, for Lake Access and Sand Mining, TVA Tract Nos. NOR-14A, -14, -15, and -12B, Davy Crockett Reservoir, Nolichucky River Mile 49.0 to 50.1L, at Bird Bridge, Greene County, Tennessee. Tennessee Valley Authority, Morristown, Tennessee, 33 pages and appendices.
- Tennessee Wildlife Resources Agency. 2000. Wildlife Management Area Hunting Seasons 2000-01. (http://www.state.tn.us/twra/wmatext.pdf)
- Thomas, D. P., and T. L. Best. 2000. Radiotelemetric assessment of movement patterns of the gray bat (*Myotis grisescens*) at Guntersville Reservoir, Alabama. Occasional Papers of the North Carolina Museum of Natural Sciences and the North Carolina Biological Survey, 12:57-66.
- Trapp, H., Jr., and M. A. Horn, 1997. Ground water atlas of the United States, Delaware, Maryland, New Jersey, North Carolina, Pennsylvania, Virginia, West Virginia, U. S Geological Survey, HA 730-L.
- Tuttle, M. D. 1976a. Population ecology of the gray bat (*Myotis grisescens*): factors influencing growth and survival of newly volent young. Ecology, 57:587-595

- United States Department of Agriculture. 1999. National STATSGO Database, Natural Resource Conservation Service. (http://www.ftw.nrcs.usda.gov/stat2.html).
- United States Department of Agriculture. 1958. Soil Survey for Greene County, Tennessee. Soil Conservation Service and Tennessee Agricultural Experiment Station and Tennessee Valley Authority.
- U.S. Department of Agriculture. 1946. Soil Survey for Hamblen County, Tennessee. Agricultural Research Administration and Bureau of Plant Industry, Soils, and Agricultural Engineering and Tennessee Agricultural Experiment Station and Tennessee Valley Authority.
- U.S. Department of Agriculture. 1944. Soil Survey for Cocke County, Tennessee. Soil Conservation Service and Tennessee Agricultural Experiment Station and Tennessee Valley Authority.
- U.S. Forest Service. 1994. Wild and Scenic River Study Report and Final Environmental Impact Statement on the Nolichucky River. U.S. Department of Agriculture, Forest Service, Pisgah National Forest and Cherokee National Forest, Asheville, North Carolina, 42 pages.
- U.S. Fish and Wildlife Service. 1982. Gray bat (*Myotis grisescens*) Recovery Plan. Denver, Colorado. 150pp.
- U.S. Geological Survey. Undated. http://webserver.cr.usgs.gov/sediment/plsql/sus_size_info?station_id_in=03465500
- U.S. Geological Survey. 1989. Study and Interpretation of the Chemical Characteristics of Natural Water. U.S. Geological Survey, Water-Supply Paper #2254, John D. Hem, Third Edition.
- Virginia Department of Conservation and Recreation, 1992. Virginia Erosion and Sediment Control Handbook, 3rd Ed. Division of Soil and Water Conservation.
- Waters, T.F. 1995. Sediment in streams: sources, biological effects, and control. American Fisheries Society Monograph 7. 251p.

5.4 INDEX

100-year floodplain, i, ii, 21, 22, 23, 39, 51, 52, 85, 86, 94, 111, 112, 113, 122, 123, 160, 175, 177, 185, 189, 202

500-year floodplain, i, ii, iii, iv, 21, 22, 23, 25, 28, 36, 39, 40, 50, 51, 52, 85, 86, 96, 97, 98, 111, 112, 113, 121, 122, 123, 130, 133, 156, 158, 160, 161, 168, 175, 176, 177, 178, 184, 185, 187, 188, 189, 190, 191, 193, 194

Archaeological, iv, v, vii, 13, 40, 41, 42, 119, 121, 122, 184, 185, 186, 187, 188, 197, 203

Avery County, North Carolina, i, 1, 4, 55

Bedload, 58, 60, 61, 65, 66, 67, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 147, 148, 149, 151, 154, 155, 165, 168, 169, 170, 171, 172, 174, 201 **Best management practices**, 27, 32, 138, 145, 149, 201 **Blue Ridge Physiographic Province**, 48, 49, 53, 54, 55, 71, 95

Cedar Creek Learning Center, 6, 116, 179, 181, 182

Clean Water Act, 12, 84, 158, 159

Cocke County, Tennessee, i, 1, 45, 51, 55, 59, 94, 99, 100, 105, 106, 107, 124, 125, 126, 127, 128, 207, 212

Cost, vii, 6, 24, 25, 28, 33, 43, 134, 190, 191

Dam safety, ii, iii, 23, 24, 27, 28, 94, 95, 160, 207

Davy Crockett Lake, i, 1, 4, 59, 110, 210

Disposal, 26, 27, 33, 130, 131, 133, 138, 142, 166, 186, 187, 190, 191, 209

Dredging, 17, 18, 19, 26, 27, 31, 33, 34, 66, 118, 133, 138, 139, 140, 141, 142, 149, 151, 159, 174, 182, 187, 189, 190, 191

Easements, i, iii, iv, 4, 6, 8, 9, 18, 21, 22, 23, 24, 25, 28, 33, 34, 36, 39, 112, 156, 159, 161, 163, 176, 178, 185, 193

Economy, v, vi, 34, 38, 41, 42, 190, 191, 192

Employment, vi. xiv. 42, 126, 189, 190, 191

Endangered Species, vi, vii, 10, 13, 14, 38, 42, 43, 99, 100, 102, 103, 107, 108, 167, 168, 169, 170, 173, 174, 194, 195, 196, 197, 201, 204

Environmental education, i, iv, v, 6, 21, 23, 25, 28, 33, 40, 41, 89, 116, 176, 177, 178, 180, 194, 195, 197

Erosion, 5, 28, 33, 84, 118, 130, 131, 132, 138, 139, 140, 142, 143, 147, 150, 155, 169, 171, 174, 178

Executive Order 11988 (Floodplains Protection), 12, 84, 202

Executive Order 11990 (Wetlands Protection), 12, 160, 161, 162, 163, 202

Executive Order 12898 (Environmental Justice), 14, 127, 202

Generator, i, 1, 4, 6

Greene County, Tennessee, i, ii, xiv, 1, 10, 13, 20, 21, 23, 28, 33, 39, 45, 50, 51, 55, 59, 92, 94, 99, 100, 106, 107, 109, 119, 120, 121, 123, 124, 125, 126, 127, 128, 160, 175, 188, 189, 190, 191, 192, 205, 206, 207, 209, 210, 211, 212

Greeneville, Tennessee, i, ii, 1, 13, 20, 23, 28, 33, 45, 46, 47, 57, 59, 66, 92, 111, 123

Ground water, 52, 53, 54, 55, 84, 89, 132, 134, 202, 203

Groundwater, iv, vi, vii, xii, 10, 40, 41, 42, 52, 53, 54, 55, 85, 89, 90, 91, 132, 133, 134, 135, 157, 159, 196

Hamblen County, Tennessee, i, 1, 51, 52, 55, 94, 99, 100, 124, 125, 126, 127, 128, 207, 210, 212

Historic, i, ii, iii, iv, v, vi, vii, 23, 24, 28, 39, 40, 41, 42, 65, 67, 121, 122, 184, 185, 186, 187, 188, 198, 203, 211

Jefferson County, Tennessee, i, 1, 55 Jurisdictional wetlands, 84, 85, 86

Kinser Park, 115, 179, 180, 181, 182, 183, 189

Labor market area, xiv, 123, 124, 125, 126, 127, 188, 192 **Land rights**, i, ii, 18, 19, 21, 22, 23, 24, 36, 182, 189, 190, 191 **Land use**, xv, 67, 85, 109, 111, 112, 164, 175, 177, 178, 181, 189, 197

Mining, 4, 5, 56, 58, 59, 65, 67, 92, 135, 193, 207 Mitchell County, North Carolina, i, 1, 4, 55

National Environmental Policy Act (NEPA), i, 1, 11, 12, 13, 17, 19, 197, 201, 203 National Historic Preservation Act, 13, 31, 123, 184, 186, 187, 203 National Register of Historic Places, i, iii, 39, 123, 184, 186, 193

Parks, iv, v, 28, 33, 40, 41, 45, 48, 67, 115, 116, 117, 118, 176, 177, 178, 179, 180, 181, 182, 183, 189, 210

Powerhouse, ii, iii, v, 1, 4, 18, 27, 31, 33, 36, 123, 131, 143, 151, 160, 162, 182, 185, 186, 187, 188, 191

Preferred alternative, i, vii, vii, 13, 14, 15, 17, 43

Prime farmland, 51, 52, 112, 129, 130, 131, 197, 203

Purple loosestrife, 91, 156, 158, 159

Recreation, iv, v, vi, vii, 38, 40, 41, 42, 43, 58, 66, 115, 116, 118, 178, 179, 180, 181, 182, 183, 184, 189, 190, 192, 193, 194, 196

Scoping, ii, 8, 10, 17, 45, 203

Sediment, i, ii, iv, v, vi, xii, xv, 1, 4, 5, 6, 8, 9, 10, 17, 18, 19, 23, 25, 26, 27, 28, 31, 32, 33, 34, 36, 40, 41, 49, 53, 57, 58, 60, 61, 62, 63, 65, 66, 67, 68, 69, 70, 71, 72, 73, 89, 92, 93, 94, 105, 122, 129, 130, 131, 132, 133, 135, 136, 137, 138, 139, 140, 141, 142, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 161, 162, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 189, 190, 191, 193, 194, 195, 199, 203, 204, 206, 210, 212

Sediment control, v, 40, 149, 151

Sediment loading, 9, 132

Soil, xii, 50, 51, 52, 53, 54, 83, 84, 85, 89, 91, 98, 112, 118, 129, 130, 131, 132, 133, 155, 197, 203

State Historic Preservation Officer, 13, 184, 185, 186, 187, 188

Suspended sediment, xv, 58, 60, 61, 62, 63, 64, 65, 135, 136, 137, 139, 140, 145, 148, 149, 158, 169, 170, 203

Tennessee Wildlife Resources Agency (TWRA), iii, 6, 23, 25, 39, 77, 81, 103, 116, 117, 118, 119, 176, 179, 180, 181, 182, 204, 206, 211

U.S. Army Corps of Engineers (USACE), 12, 66, 84, 86, 91, 93, 116, 157, 204, 211, 12, 84, 204, 211

U.S. Fish and Wildlife Service(USFWS), 13, 84, 107, 204, 205, 206, 209, 212 **Unicoi County, Tenneessee**, i, 1, 55

Valley and Ridge Physiographic Province, 48, 49, 53, 54, 55, 92, 95

Washington County, Tenneessee, i, 1, 45, 55, 59, 123, 124, 125, 126, 127, 128, 206, 208

Water control, 26, 27, 32

Water quality, vi, 37, 41, 56, 57, 58, 60, 62, 84, 118, 134, 136, 138, 139, 141, 142, 143, 144, 196, 198, 204

Wells, vii, 42, 54, 133, 134, 135

Wetlands, iv, vi, vii, 34, 37, 40, 41, 42, 83, 84, 85, 86, 89, 90, 91, 92, 98, 106, 107, 108, 111, 141, 155, 156, 157, 158, 159, 160, 164, 167, 168, 171, 175, 179, 182, 188, 193, 202

Wildlife management, i, iii, iv, v, 28, 33, 39, 40, 41, 116, 118, 176, 177, 178, 179, 180, 181, 182, 183, 189

Yancey County, North Carolina, i, 1, 4, 55